



## Office of Materials and Testing Qualified Products List

| This is a listing of approved <b>Wood Preserving Plants</b> prepared in accordance with the Office of Materials and Testing Standard Operating Policy 31 ( <b>SOP-31</b> ) entitled “ <i>Inspection of Treated Timber Products</i> ”. Please refer to section <b>863</b> of the GDOT Standard Specifications for preservative treatment requirements.  |                        | <div>QPL-50</div> <div>Wood Preserving Plants</div>            |                                  | <b>Inspection Services Branch</b><br>15 Kennedy Dr.<br>Forest Park, GA 30297<br><br>Office Phone: 404-608-4885<br>Office Fax: 404-608-4888 |  |
|--|------------------------|--|----------------------------------|--|--|
| Treated timber products must be pre-inspected and hammer stamped in the ends with a numbered inspection stamp as evidence of approval by the department. Timber products not bearing this stamp of approval or from preserving plants not contained within this list must not be incorporated into any GDOT work without prior approval from the engineer and should be reported to the Inspection Services Branch of the Office of Materials and Testing. |                        |  |                                  |  |  |
| Source   | Source #/<br>Location  | Address  | Contact                          | Web Address  | Type Of Preservation                                   |
| American Timber & Steel  | 27/<br>Norwalk, Ohio   | 4832 Plank Rd.<br>Norwalk, Ohio 44857                          | 800-668-1610<br>419-663-1077 fax |  | Chromated Copper Arsenate (CCA)                        |
| Baldwin Pole & Piling Co., Inc.  | 05/<br>Bay Minette, AL | P.O. Drawer 758<br>1101 Highway 31 N.<br>Bay Minette, AL 36507 | 800-828-7934<br>251-937-1033 fax | www.baldwinpole.com  | Chromated Copper Arsenate (CCA) &<br>Pentachlorophenol |
| Brown Wood Preserving Co., Inc.  | 08/<br>Kennedy, AL     | 16851 Highway 96 W.<br>Kennedy, AL 35574                       | 800-264-3529<br>205-596-3528 fax |  | Chromated Copper Arsenate (CCA)                        |
| Cox Industries (of Eutawville)   | 29/<br>Eutawville, SC  | 237 Forestry Road<br>Eutawville, SC 29048                      | 803-492-7728<br>803-492-7942 fax | www.coxwood.com  | Chromated Copper Arsenate (CCA)                        |
| Cox Industries (of Vidalia)  | 58/<br>Vidalia, GA     | 704 Atlantic Ave.<br>Vidalia, GA 30474                         | 912-537-4188<br>912-537-3587 fax |  | Chromated Copper Arsenate (CCA-C)                      |
| Langdale Forest Products Co.   | 13/<br>Valdosta, GA    | P.O. Box 1088<br>1202 Madison Highway<br>Valdosta, GA 31603    | 800-864-6909<br>229-333-2522 fax |  | Chromated Copper Arsenate (CCA)                        |



Office of Materials and Testing  
Qualified Products List

| Source                              | Source #/<br>Location | Address  | Contact                          | Web Address  | Type Of Preservation              |
|-------------------------------------|-----------------------|--|----------------------------------|--|-----------------------------------|
| Robbins Manufacturing Co.           | 30/<br>Tarrytown, FL  | 1200 Purina Drive<br>Gainesville, GA 30501               | 888-558-8199<br>813-972-3980 fax | <a href="http://www.robbinsslumber.com">www.robbinsslumber.com</a> | Chromated Copper Arsenate (CCA-C) |
| Shearouse Lumber Co., Inc.          | 23/<br>Pooler, GA     | P. O. Drawer C<br>833 West Hwy. 80<br>Pooler, GA 31322   | 912-748-7244<br>912-748-5901 fax |  | Chromated Copper Arsenate (CCA-C) |
| S.I. Storey Lumber Co., Inc.        | 15/<br>Armuchee, GA   | P.O. Box 99<br>285 Sike Storey Rd.<br>Armuchee, GA 30105 | 706-234-1605<br>706-235-8132 fax | <a href="http://www.sistoreylumber.com">www.sistoreylumber.com</a> | Chromated Copper Arsenate (CCA-C) |
| C.M. Tucker Lumber Corp. Sales, LLC | 09/<br>Pageland, SC   | PO Box 7<br>Pageland, SC 29728                           | 843-672-6135<br>843-672-5393 fax |  | Chromated Copper Arsenate (CCA-C) |
| William C. Meredith Co., Inc.       | 19/<br>East Point, GA | 2335 Lawrence St.<br>East Point, GA 30344                | 404-767-2621<br>404-761-2972 fax | <a href="http://www.mereduc.com">www.mereduc.com</a>               | Pentachlorophenol                 |